




# Inner Ring BEARING SPACERS

• 18-8 Stainless Steel



Catalog Number	B +.005 -.000	D ±.005	W	
BHSINR-079164002	.079	.164	.002	±.001
BHSINR-079164004			.004	
BHSINR-079164006			.006	±.001
BHSINR-079164008			.008	±.001
BHSINR-079164010			.010	±.002
BHSINR-079164012			.012	±.002
BHSINR-079164014	.014			
BHSINR-079164016	.016			
BHSINR-093203002	.093	.203	.002	
BHSINR-093203004			.004	
BHSINR-093203006			.006	±.001
BHSINR-093203008			.008	±.001
BHSINR-093203010			.010	±.002
BHSINR-093203012			.012	±.002
BHSINR-093203014	.014			
BHSINR-093203016	.016			
BHSINR-125187002	.125	.187	.002	
BHSINR-125187004			.004	
BHSINR-125187006			.006	
BHSINR-125187008			.008	±.001
BHSINR-125187010			.010	±.002
BHSINR-125187012			.012	±.002
BHSINR-125187014			.014	±.002
BHSINR-125187016			.016	±.002
BHSINR-125187031			.031	±.003
BHSINR-125187063			.063	±.003
BHSINR-125187094			.094	
BHSINR-125187125			.125	
BHSINR-125187188	.188			
BHSINR-125187250	.250	±.003		
BHSINR-125187375	.375			
BHSINR-125187500	.500			
BHSINR-187250002	.187	.250	.002	±.001


Catalog Number	B +.005 -.000	D ±.005	W	
BHSINR-187250004			.004	±.001
BHSINR-187250006			.006	
BHSINR-187250008			.008	
BHSINR-187250010	.187	.250	.010	±.002
BHSINR-187250012			.012	
BHSINR-187250014			.014	
BHSINR-187250016			.016	±.002
BHSINR-187250031			.031	±.003
BHSINR-187250063			.063	±.003
BHSINR-187250094	.250	.375	.094	±.003
BHSINR-187250125			.125	
BHSINR-187250188			.188	
BHSINR-187250250			.250	±.003
BHSINR-187250375			.375	
BHSINR-187250500			.500	
BHSINR-250375002	.250	.375	.002	±.001
BHSINR-250375004			.004	
BHSINR-250375006			.006	
BHSINR-250375008			.008	±.001
BHSINR-250375010			.010	±.002
BHSINR-250375012			.012	±.002
BHSINR-250375014			.014	±.002
BHSINR-250375016			.016	±.002
BHSINR-250375031			.031	±.003
BHSINR-250375063			.063	±.003
BHSINR-250375094			.094	
BHSINR-250375125			.125	
BHSINR-250375188	.188			
BHSINR-250375250	.250	±.003		
BHSINR-250375375	.375			
BHSINR-250375500	.500			
BHSINR-313500002	.313	.500	.002	±.001
BHSINR-313500004			.004	

Continued on the next page




# Inner Ring BEARING SPACERS

• 18-8 Stainless Steel



Catalog Number	B +.005 -.000	D ±.005	W	
BHSINR-313500006 BHSINR-313500008	.313	.500	.006	±.001
BHSINR-313500010 BHSINR-313500012 BHSINR-313500014 BHSINR-313500016			.008	
BHSINR-313500031 BHSINR-313500062 BHSINR-313500125			.010 .012 .014 .016	±.002
BHSINR-313500031 BHSINR-313500062 BHSINR-313500125			.031 .062 .125	
BHSINR-313500031 BHSINR-313500062 BHSINR-313500125			.031 .062 .125	±.003
BHSINR-375562002 BHSINR-375562004 BHSINR-375562006 BHSINR-375562008	.375	.562	.002	±.001
BHSINR-375562010 BHSINR-375562012 BHSINR-375562014 BHSINR-375562016			.004 .006 .008	
BHSINR-375562031 BHSINR-375562063 BHSINR-375562094 BHSINR-375562125			.010 .012 .014 .016	±.002
BHSINR-375562031 BHSINR-375562063 BHSINR-375562094 BHSINR-375562125			.031 .063 .094 .125	
BHSINR-375562188 BHSINR-375562250 BHSINR-375562375 BHSINR-375562500			.188 .250 .375 .500	±.003
BHSINR-500750002 BHSINR-500750004 BHSINR-500750006 BHSINR-500750008	.500	.750	.002	±.001
BHSINR-500750010 BHSINR-500750012 BHSINR-500750014 BHSINR-500750016			.004 .006 .008	
BHSINR-500750031 BHSINR-500750062 BHSINR-500750125			.010 .012 .014 .016	±.002
BHSINR-500750031 BHSINR-500750062 BHSINR-500750125			.031 .062 .125	
BHSINR-500750031 BHSINR-500750062 BHSINR-500750125			.031 .062 .125	±.003




Catalog Number	d $+0.13$ 0	D $\pm 0.13$	S $\pm 0.025$
BHSINRM30537310	3.05	3.73	0.1
BHSINRM30537315			0.15
BHSINRM30537325			0.25
BHSINRM30537340			0.4
BHSINRM40553010	4.05	5.3	0.1
BHSINRM40553015			0.15
BHSINRM40553025			0.25
BHSINRM40553040			0.4
BHSINRM50559310	5.05	5.93	0.1
BHSINRM50559315			0.15
BHSINRM50559325			0.25
BHSINRM50559340			0.4
BHSINRM60579010	6.05	7.9	0.1
BHSINRM60579015			0.15
BHSINRM60579025			0.25
BHSINRM60579040			0.4
BHSINRM80510210	8.05	10.2	0.1
BHSINRM80510215			0.15
BHSINRM80510225			0.25
BHSINRM80510240			0.4
BHSINRM10012310	10.05	12.3	0.1
BHSINRM10012315			0.15
BHSINRM10012325			0.25
BHSINRM10012340			0.4



## Inner Ring BEARING SPACERS

- Anodized Aluminum




Catalog Number	B +.005 -.000	D ±.005	W ±.003
BHAINR-125187031	.125	.187	.031
BHAINR-125187063			.063
BHAINR-125187094			.094
BHAINR-125187125			.125
BHAINR-125187188	.187	.250	.188
BHAINR-125187250			.250
BHAINR-125187375			.375
BHAINR-125187500			.500
BHAINR-187250031	.187	.250	.031
BHAINR-187250063			.063
BHAINR-187250094			.094
BHAINR-187250125			.125
BHAINR-187250188	.250	.375	.188
BHAINR-187250250			.250
BHAINR-187250375			.375
BHAINR-187250500			.500
BHAINR-250375031	.250	.375	.031
BHAINR-250375063			.063
BHAINR-250375094			.094
BHAINR-250375125			.125
BHAINR-250375188	.375	.562	.188
BHAINR-250375250			.250
BHAINR-205375375			.375
BHAINR-205375500			.500
BHAINR-375562031	.375	.562	.031
BHAINR-375562063			.063
BHAINR-375562094			.094
BHAINR-375562125			.125
BHAINR-375562188	.500		.188
BHAINR-375562250			.250
BHAINR-375562375			.375
BHAINR-375562500			.500




## Outer Ring BEARING SPACERS

• 18-8 Stainless Steel



Catalog Number	B +.005 -.000	D ±.005	W	
BHSOTR-088153003	.088	.153	.003	±.001
BHSOTR-088153005			.005	
BHSOTR-088153007			.007	
BHSOTR-088153010	.088	.153	.010	±.002
BHSOTR-088153020			.020	
BHSOTR-123178003	.123	.178	.003	±.001
BHSOTR-123178005			.005	
BHSOTR-123178007			.007	
BHSOTR-123178010	.123	.178	.010	±.002
BHSOTR-123178020			.020	
BHSOTR-167248003	.167	.248	.003	±.001
BHSOTR-167248005			.005	
BHSOTR-167248007			.007	
BHSOTR-167248010	.167	.248	.010	±.002
BHSOTR-167248020			.020	
BHSOTR-206310003	.206	.310	.003	±.001
BHSOTR-206310005			.005	
BHSOTR-206310007			.007	
BHSOTR-206310010	.206	.310	.010	±.002
BHSOTR-206310020			.020	
BHSOTR-253375003	.253	.373	.003	±.001
BHSOTR-253375005			.005	
BHSOTR-253375007			.007	
BHSOTR-253375010	.253	.373	.010	±.002
BHSOTR-253375020			.020	
BHSOTR-253375032	.253	.373	.032	±.003
BHSOTR-253375062			.062	
BHSOTR-253375125			.125	
BHSOTR-253375250	.253	.373	.250	±.003
BHSOTR-253375375			.375	
BHSOTR-253375500			.500	
BHSOTR-378498003	.378	.498	.003	±.001
BHSOTR-378498005			.005	
BHSOTR-378498007			.007	

Catalog Number	B +.005 -.000	D ±.005	W	
BHSOTR-378498010	.378	.498	.010	±.002
BHSOTR-378498020			.020	
BHSOTR-378498032	.378	.498	.032	±.003
BHSOTR-378498062			.062	
BHSOTR-378498125			.125	
BHSOTR-378498250	.378	.498	.250	±.003
BHSOTR-378198375			.375	
BHSOTR-378498500			.500	
BHSOTR-503623003	.503	.623	.003	±.001
BHSOTR-503623005			.005	
BHSOTR-503623007			.007	
BHSOTR-503603010	.503	.623	.010	±.002
BHSOTR-503623020			.020	
BHSOTR-503623032	.503	.623	.032	±.003
BHSOTR-503623062			.062	
BHSOTR-503623125			.125	
BHSOTR-503623250	.503	.623	.250	±.003
BHSOTR-503623375			.375	
BHSOTR-503623500			.500	
BHSOTR-562685016	.562	.685	.016	±.002
BHSOTR-562685032			.032	
BHSOTR-562685062			.062	
BHSOTR-687873003	.687	.873	.003	±.001
BHSOTR-687873005			.005	
BHSOTR-687873007			.007	
BHSOTR-687873010	.687	.873	.010	±.002
BHSOTR-687873016			.016	
BHSOTR-687873020			.020	
BHSOTR-687873032	.687	.873	.032	±.003
BHSOTR-687873062			.062	
BHSOTR-687873125			.125	
BHSOTR-687873250	.687	.873	.250	±.003
BHSOTR-687873375			.375	
BHSOTR-687873500			.500	




Catalog Number	d +0.13 0	D 0 -0.13	S ±0.025
BHSOTRM62570015 BHSOTRM62570025	6.25	7	0.15 0.25
BHSOTRM67580015 BHSOTRM67580025	6.75	8	0.15 0.25
BHSOTRM78590015 BHSOTRM78590025 BHSOTRM78590040	7.85	9	0.15 0.25 0.4
BHSOTRM82510015 BHSOTRM82510025	8.25	10	0.15 0.25
BHSOTRM10011015 BHSOTRM10011025	10	11	0.15 0.25
BHSOTRM11113015 BHSOTRM11113025 BHSOTRM11113040	11.15	13	0.15 0.25 0.4
BHSOTRM13015015 BHSOTRM13015025	13	15	0.15 0.25
BHSOTRM13816015 BHSOTRM13816025 BHSOTRM13816040	13.8	16	0.15 0.25 0.4
BHSOTRM16619015 BHSOTRM16619025 BHSOTRM16619040	16.65	19	0.15 0.25 0.4



## Outer Ring BEARING SPACERS

- Anodized Aluminum



Catalog Number	B +.005 -.000	D ±.005	W	
BHAOTR-253375032			.032	
BHAOTR-253375062	.253	.373	.062	±.003
BHAOTR-253375125			.125	
BHAOTR-253375250			.250	
BHAOTR-253375375	.253	.373	.375	±.003
BHAOTR-253375500			.500	
BHAOTR-378498032			.032	
BHAOTR-378498062	.378	.498	.062	±.003
BHAOTR-378498125			.125	
BHAOTR-378498250			.250	
BHAOTR-378498375	.378	.498	.375	±.003
BHAOTR-378498500			.500	
BHAOTR-503623032			.032	
BHAOTR-503623062	.503	.623	.062	±.003
BHAOTR-503623125			.125	
BHAOTR-503623250			.250	
BHAOTR-503623375	.503	.623	.375	±.003
BHAOTR-503623500			.500	
BHAOTR-687873032			.032	
BHAOTR-687873062	.687	.873	.062	±.003
BHAOTR-687873125			.125	
BHAOTR-687873250			.250	
BHAOTR-687873375	.687	.873	.375	±.003
BHAOTR-687873500			.500	